

**OFFICE OF THE DIRECTOR,
FIRE & EMERGENCY SERVICES, ASSAM, GUWAHATI.**

NOTICE INVITING TENDER

Sealed Tender affixing Court fee stamp of Rs. 8.25 (Rupees eight and paise twenty five) only are hereby invited from reputed firms for supply of the following **Individual Kit** as per specification laid down in the NIT and will be received by the undersigned **up to 1500 hours on 14.07.2015**. The Tenders will be opened on the next day at **1100 hours**. If the Tenders are not opened on the next day due to unavoidable circumstances, the same will be opened on the next working day. The Tenderers may also download N.I.T. from the website of Fire & Emergency Services, Assam i.e. www.asfso.org

TERMS & CONDITIONS:

1. The Tender shall be submitted in 2 (two) Bid system. (Technical Bid and price Bid).
2. Tender/ Tenders without court fee stamp will be rejected.
3. The Technical Bid should be in a sealed envelope affixing court fee stamp of Rs. 8.25 (Rupees eight and paise twenty five) only. Bidder shall also enclose the following with technical Bid :-
4. The price Bid shall be in the second sealed envelope.
The price Bid of the eligible bidders will be opened who qualify in the Technical Bid.
5. Both the Technical Bid (in one sealed envelope) and Price Bid (in second sealed envelope) shall be placed in another outer envelope duly sealed and to be dropped in the Tender Box.
6. The envelope containing tenders must have the following particulars to be super scribed :-
 - i) Reference of N.I.T., its number and date.
 - ii) Name and full address of the Tenderer/ Bidders.
 - iii) Date of opening of the Tender.
7. i) Tender/ Tenders received after due date and time fixed above will not be accepted.
ii) Up to date valid Sales Tax/ VAT clearance Certificate/ Permanent Account Number/ VAT Registration certificate/ Audited Balance Sheet and Income Tax Return for last two years must be submitted duly attested.
8. Tender once submitted shall be final. No alternation/ modification in the rates and terms and condition in the tender shall be entertained after opening of the Tender.
9. Submission of Bid by the Tenderer should cover and specify all the items of equipment mentioned in the NIT, both in Technical and Price Bid at the time of submitting the Tender. Failing which tender will not be taken into consideration. No item should be left out at the time of submitting the tender.
10. Price of all the items mentioned in the NIT is to be submitted as per format enclosed at **Annexure-I**.
11. Conditional and incomplete tender shall not be entertained.
12. **The Tenderers can also quote their DGS & D rates of item if available with them.**
13. The Tenderer shall have to deposit an amount of Rs. 50,000/- (Rupees fifty thousand only) as Earnest Money in the Technical Bid in the shape of NSC/ KVP/ FDR/ Demand Draft to be pledged in the name of **Director of Fire & Emergency Services, Assam, Guwahati – 1**. No cash & cheque etc. will be accepted as Earnest Money. Those firms registered with Central Purchase Organization/ NSIC are exempted from depositing the EMD. Copy of which to be submitted with bid document.
14. The EMD of the unsuccessful Tenderers will be released as soon as acceptance and finalization of the Tender and the EMD of the successful tenderers will be released after execution of the work order.
15. Tender should be legibly typed or written and the rates should be written neatly both in figure and words. There should not be any over writing, erasure mark in the rates. In case of over writing or erasure or any such alteration, the tender shall be rejected outright.
16. Failure to fulfill the terms and conditions of the NIT will lead to rejection of the bid without any reference to the tenderer and no correspondence will be entertained in this regard.
17. Rates quoted should be valid for 1(one) year with a provision for further extension if required.

18. Once the rates offered in the quotation are accepted, no enhancement will be entertained under any circumstances and tenderers will be liable to supply the items at the rate accepted by the Director, Fire & Emergency Services, Assam. Failure to supply the items at the accepted rates will entail the order being cancelled forfeiting Security Deposit and suitable panel action may be taken by blacklisting/ debarring from competing any tender with Govt./ Semi Govt./ Public undertaking.
19. An Affidavit stating that neither the Tenderer, principal supplier of equipment or any associated / affiliated company is blacklisted by any Public Sector Undertaking/ Agency of Govt. of India or State Govt.
20. All pages of the tender document together with terms and conditions and the documents enclosed with the tender shall be signed by the authorized signatory.
21. The **Individual Kit** shall have to be delivered within 60 (sixty) days on receipt of the work order by the supplier.
22. The successful Tenderers shall have to deposit 5% security money of the total value of the work order in the form of Demand Draft/ Bank Guarantee/ NSC/ KVP/ FDR pledged in the name of the Director of Fire & Emergency Services, Assam, Guwahati – 1 before placement of formal work order.
23. The equipment should carry a guarantee of 1(one) year with effect from the date of receipt by this department. Any defects if found during this period should be replaced free of cost.
24. Price bid is to be quoted in price bid format, e.g. Description, excise duty if any CST/ LST/ VAT and delivery charges F.O.R. destination and total.
25. Any optional/ alternative rates for any item will not be entertained.
26. A Committee of Technical Officers' to be nominated by the undersigned shall examine/ testing the **Individual Kit** as regards their satisfactory, effective functionability. Suppliers bill shall be paid only after the Committee's satisfactory report on the workmanship/ functioning the **Individual Kit**. Any defect noticed/ pointed out by the above Committee shall be rejected/ replacement by the supplier before final receipt of the same.
27. **In case of any legal complicacy arising out of this N.I.T., the jurisdiction will lie at Gauhati High Court only.**
28. The tenderers must submit the sample of each item and its descriptive literature along with the tender failing which tender will not be entertained.
29. Notwithstanding anything mentioned herein above, the undersigned shall not remain obliged to accept the lowest tender and shall reserve the right to reject any or all the tenders without assigning any reasons thereof.

Sd/-
 Director,
 Fire & Emergency Services, Assam,
Panbazar, Guwahati.

ANNEXURE – I

TENDER NO:

Date:

PRICE BID FORMAT**Supply of Individual Kit.**

Sl. No.	Name of Item with Make/ Model	Quantity	Unit Price	Excise Duty if any	Tax (VAT/ CST)	Entry Tax/ Octroi Duty	Total amount (in Rs.)
1							
2							
3							
4							
5							
Grand Total =							
Total (Rupees) only							

(Signature of the Tenderer)

Name: _____

Date:

Designation: _____

Seal:

Place:

SPECIFICATION OF INDIVIDUAL KIT:-**(1) Reflective Jackets Proof – 322(three hundred twenty two) Nos.****a) Description**

Florescent colour jacket with 50mm glass bead type reflecting tape in 2 vertical and 1 horizontal band in front and back same. Front opening and V neck design.

b) Background Fabric

100% polyester. 125 gsm made from bright glossy yarn, adhering to EN 471 standard. It shall have excellent colour Fastness and should be UV treated.

c) Colour

Florescent reddish-orange/ florescent lime/yellow.

d) Reflecting tapes

Glass bead type reflecting tape, EN 471 class 2 approved, 50mm wide, color of reflecting tape will be silver grey.

e) Accessories

i) Binding: - Binding will be black in colour. 100% polyester fabric will be used in binding with excellent colour fastening.

ii) Velcro: - Velcro shall be 25 mm wide and 50mm in length positioned vertically for perfect fastening. The Velcro will be black.

Size: Length 27 inches and width 23 inches.

(Descriptive literature should be submitted with the quotation)

(2) Safety helmets – 322(three hundred twenty two) Nos.

- i) ISI Marked : IS : 2925 OF 1984
- ii) Shell Material : High Density Polyethylene (HDPE)
- iii) Adjustable And Detachable
- Head Band With Nape Strap Material : Low Density Polyethylene (LDPE)
- iv) Adjustable Chin Strap : Nylon Chinstrap And Ratchet Type Head Band
- v) Slot Fix Design : Provision For Easy Clip On Accessories Like Face Shields And Ear Muffs.
- vi) Colour : Yellow

(Descriptive literature should be submitted with the quotation)

(3) Boot, Hard Toe Steel Shank:- 322(three hundred twenty two) Nos.

It should give comfort, safety and performance, steel toes Shoe. Oil resistant, layered sole which should provides extreme traction, Superior cushioning. it may have Nylon lining , Cushioned insole & Deep bar-tread outsole .

It should have Full Grain Leather uppers, Steel Shank. It should have Electrical hazard protection. Hooks & eyelets set on steel washers. Leather upper. Oil & slip resistant polyurethane outsole which should provide lasting performance while minimizing fatigue. It should be durable.

It should be built from Lightweight materials which make them easy to wear. Removable Comfort Core air flow orthotic insert. Soft leather padded collar for added comfort. Steel toe Class may be I75/C75 or better.

(Descriptive literature should be submitted with the quotation)

(4) Safety Torches:- 322(three hundred twenty two) Nos.

- 1) Power Source - Carbon Zinc Only : 3xd Cell
- 2) Bulb/Lamp : PR-3
- 3) Bulb/Lamp Life - 15 hours
- 4) Light Out Put - 15,000 Beam Candlepower
- 5) Weight (Without Batteries) - 6 OZ (.17 Kg)
- 6) Water Proof
- 7) Suitable For Use In Hazarduous Atmosphere
- 8) Spare Bulb Compartment
- 9) Ring Hanger
- 10) Three Way Switch : ON - OFF - Flash
- 11) Anti - Roll Tube
- 12) Oversized Faceted Reflector For More Light
- 13) UL Approved

(Descriptive literature should be submitted with the quotation)

(5) Water Bottles light weight with protective carrier:- 322(three hundred twenty two) Nos.

- 1) Designed to carry on the pack.
- 2) It should have illuminate panels for improved visibility and safety.
- 3) It should have a fuel window for bladder level.
- 4) It shall have extra wide bladder port and quick connect access.
- 5) It must have Insulated bladder compartment for keeping water cool.
- 6) Ergonomic back panel w/ perforated foam for improved ventilation.
- 7) contoured shoulder strap for comfort and breath ability.
- 8) Adjustable sternum strap.
- 9) Light clip strap.
- 10) Large cargo compartment with organizer.
- 11) Magnetic clip for valve attachment.
- 12) Bungee for extra storage .
- 13) Adjustable to fit medium large body types.
- 14) All the materials used on the construction of outdoor back.
- 15) Carry water bottle should be durable.
- 16) The bottle should be light weight and made from the highest quality materials.
- 17) It should with stand disinfections of the Bottle using bleach.
- 18) The weight of the bottle should not be more than 4 lbs.
- 19) It should be provided with a pipe which can be drawn water.
- 20) While the bottle or canteen is on the back.

(Descriptive literature should be submitted with the quotation)

Sd/-
Director,
Fire & Emergency Services, Assam,
Panbazar, Guwahati.

NIT No. F&ES/PS/2003/103/Pt-III/ 2260-68 Dated Guwahati the 23.06.2015.

Copy to:

1. The Chief Executive Officer, Assam State Disaster Management Authority, Assam Sachivalaya, Dispur for kind information.
2. The Director of Industries, Udyog Bhawan, Bamunimaidam, Guwahati – 21 for information.
3. The Secretary to the Govt. of Assam, Home (B) Department, Dispur for information.
4. The Senior Financial Adviser to the Govt.of Assam, Home (B) Department, Dispur for information.
5. The Finance and Accounts Officer, Fire & Emergency Services, Assam, Guwahati for information.
6. The Fire Prevention Officer, Fire & Emergency Services, Assam, Guwahati for information.
7. Office Notice Board.
8. Office Website www.asfso.org .
9. M/S

.....
.....

Sd/-
Director,
Fire & Emergency Services, Assam,
Panbazar, Guwahati.